

# ***AUTOMATION & CONTROL***

## *Overview*



# ABOUT CROUZET

Crouzet is an independent company **manufacturing mechatronic components for demanding applications in Aerospace & Transportation, Energy, Building and Machinery Industry.**

Crouzet provides **Switches and Sensors, Electromechanical Actuators, Electrical Protection Equipment, Cockpit Controls, Automation Controllers and Relays, and Instrumentation Services.**

Since 1921, Crouzet has a heritage of close collaboration with customers in the development of products, from standard components to fully customized solutions.

Crouzet's customers and partners can rely on our teams worldwide to always meet and often exceed their expectations. Driven by innovation, our experts are focused on designing and delivering the right product for the right application.

Crouzet is your trusted partner of choice to face industrial challenges of today and tomorrow.

## WORLDWIDE PRESENCE



📍 HEADQUARTERS

■ SALES OFFICES

## AUTOMATION CONTROLLERS



The all-in-one Telecontroller, 5 products in one. Connect to a cellular network to control and monitor any remote application:

- › **Cellular Modem:** Give cellular capabilities to your application
- › **Alert system:** Event alerts, status feedback and alarms where ever you are
- › **Data logger:** Measure and record key parameters
- › **Nano-PLC:** A PLC in a logic controller body
- › **Display:** Visualize and change parameters



Millenium EVO, the communicating logic controller for all your small-scale automation projects:

- › **Control at a distance:** Access to the front face from your PC, laptop, or mobile devices
- › Monitor your applications (Datalog, Events and FTP server connection)
- › Interact with other devices and program anywhere on your local network (via Ethernet or Modbus RTU)



The PLC made simple, PLC performance with logic controller simplicity, for your high-end applications:

- › **26 I/Os:** Configurable inputs to digital, analog, high-speed, relay, static and PWM outputs available
- › **Network communication:** Ethernet (Modbus TCP/IP), Modbus RTU and Bluetooth,
- › The ease of use of a simple logic controller



Millenium 3, the logic controller of choice for 10+ years. For everyone and for any simple application:

- › Many functions in a single product
- › **Smart Design:** Adapted for modular panels, can be DIN-rail mount or panel mount
- › Different power supplies available
- › Easy to use & free software
- › Expand up to 50 I/Os

## AUTOMATION SOFTWARE



### CROUZET SOFT

- › Easiest and most intuitive visual programming software
- › Pre-programmed application blocks like pump management, flow control, liquid level and many more



### VIRTUAL DISPLAY

Visualize and manage your controller at a distance:

- › View and change parameters
- › Read & write programs
- › Download Datalog
- › Firmware update

Download it for FREE! <https://www.crouzet.com/software/download>

## HMIS



### HMIs

- › 4.3", 7" and 9.7" sizes available
- › **Several ways of communication:** Ethernet, Modbus RTU, SLin/SLout
- › **2 versions available:** High-Performance & Cost-Effective Essential



### HMI SOFTWARE

- › Easy-to-use graphic software & pre-configured communication drivers
- › Wide range of tools to develop the perfect project

## POWER SUPPLIES



### POWER SUPPLIES

- › Compact offer of 24 VDC DIN-Rail Power Supplies
- › 10 W, 30 W, 60 W, 100 W
- › Up to 90 % efficiency

## SENSORS & CONVERTERS



### TEMPERATURE & SIGNAL CONVERTER

- › Convert temperature (Pt 100, 1000, Thermocouple J & K), current and PWM signals to voltage for use with Crouzet's Controllers



### TEMPERATURE SENSORS

- › Air, duct, submersible and NTC Probes designed for simple & direct connection to Crouzet's Automation Controllers

## SOLID STATE RELAYS



### AC, PANEL MOUNT

GN, GN+, GNA

- › Standard Panel Mount (Hockey-Puck)
- › From 10 Amps to 125 Amps
- › Overvoltage protection and IP20 covers included
- › Multipurpose to switch different types of AC loads (Heating, Lighting, Motion and others)



### AC, DIN-RAIL MOUNT

GNR, GNR+

- › 22.5 and 45 mm DIN-Rail Mount (Ready-to-use)
- › From 20 Amps to 45 Amps
- › Overvoltage protection and IP20 covers included
- › Multipurpose to switch different types of AC loads (Heating, Lighting, Motion and others)



### DC, PANEL MOUNT

GND & GNAD

- › Standard Panel Mount (Hockey-Puck)
- › From 10 Amps to 40 Amps
- › Overvoltage protection and IP20 covers included
- › Multipurpose to switch different types of DC loads (Heating, Lighting, Motion and others)



### SMART, PANEL MOUNT

GN SMART

- › Standard Panel Mount (Hockey-Puck)
- › From 35 Amps to 75 Amps
- › Overvoltage protection and IP20 covers included
- › Load and current detection



### SMART, DIN-RAIL MOUNT

GNR SMART Module

- › Module for GNR/GNR+
- › Load current up to 40 Amps
- › Open loads/mains and partial load breaking detection and SSR faults
- › AC Current teaching function



## TIMERS



### UNIVERSAL DIGITAL Syr-line

- › Super Multifunction with up to 138 operating functions
- › Universal connection
- › High-contrast LED screen
- › Precise time configuration
- › Limits and password settings
- › Program without power supply



### PLUG-IN Syr-line

- › Compact body with 8 or 11 pin connections
- › Easy and quick plug & play
- › Very large dial for an easy set up
- › Single or double output in the same package
- › Protective cover



### HIGH-POWER Syr-line

- › High-Power up to 16 Amps
- › Control more or bigger loads
- › Multi-function or Mono-function
- › Protective cover



### DIGITAL 48X48 Syr-line TMR48-D

- › Big digits in a large digital screen
- › Wide and long visibility
- › Large buttons for an easy and quick programing
- › Water & Dust proof IP66



### DOUBLE OUTPUT Syr-line

- › Double 8 Amps Output in the same 17,5 mm package
- › Second Relay can work instantaneously or delayed
- › **Special functions:** Alternator and Delayed Alternator



### ANALOG 48X48 TMR48


- › Large dial for an easy and quick programing
- › Multi-function or Mono-function
- › 8 or 11 pin connections
- › Multi-range from 0.02 s to 300 h



### CLASSIC Chronos 2

- › Multi-function or Mono-function
- › Multi-range
- › Multi-voltage
- › Screw or spring terminals

### LARGE CHOICE OF TIMING FUNCTIONS



+ All timing functions on the market available

## COUNTERS



### ELECTRONIC

- › Hour counting, Totalizing (impulse), Ratemeter, Chronometer, Batch counting and Preset functions
- › LED, LCD and backlight LCD
- › 24x48 and 48x48 mm sizes available



### ELECTROMECHANICAL

- › Hour counting and Totalizing (impulse) functions
- › Mechanical Dial visualization
- › 15x32, 24x48, 36x37, 36x48 and 48x48 sizes

## MONITORING RELAYS



### ELECTRICAL MONITORING Three-Phase

- › Protect AC motors, HVAC Systems, Pumps, Conveyors, Packaging Machines and other loads
- › **Monitor in 3-phase networks (120 to 480 VAC):** phase sequence, phase failure, imbalance (asymmetry), over and undervoltage



### CURRENT Single-Phase

- › Detect over and under current in a single-phase network
- › **Detection of 3 ranges:** 2-500 mA, 0,1-10 A and 2-20 A
- › **2 packages available:** 17,5 and 35 mm




### VOLTAGE Single-Phase

- › Detect over and undervoltage in a single-phase network
- › **Detection of range:** 0,2 to 600 VAC/DC
- › **2 packages available:** 17,5 and 35 mm



### LEVEL CONTROL Pump up or down

- › Pump-up (filling), Pump-down (emptying)
- › Control one or two levels
- › **Measuring ranges:** 5-100 kΩ, 250-1 MΩ



### PROBES Accessories

- › For use with level control relays
- › Electrode holder and protected suspension sensor

## PNEUMATICS



### LOGIC GATES

On Sub-base & Plug-in

- › **Functions:** OR, AND, YES (Buffer), NOT (Inverter)
- › **Operating pressure:** 2 to 8 bar
- › Blue, green, yellow, orange, light grey, dark grey product colors



### TIMERS

On Sub-base

- › **Functions:** positive, negative, impulse and frequency generator
- › **Timing range:** 0.1 to 60 s
- › **Frequency range:** 0.02 to 8 Hz
- › **Operating pressure:** 2 to 8 bar




### COUNTERS

- › Totalizing, Preset functions
- › 4, 5, 6 digits with or without reset
- › With or without pre-selection



### POSITION DETECTORS

- › Pressure decay sensor, low force position, microvalve, miniature, compact, adjustable stop versions
- › **Permissive Fluids:** Air, inert gas
- › Different plunger, lever, roller and rotary head options



### PRESSURE & VACUUM SWITCHES

- › Vacuum pressure switches with electrical output
- › Adjustable pressure switches with positive or negative output
- › Adjustable vacuum switches with pneumatics positive, negative or electrical output available



90+ years of customization,  
adaptation & co-design  
expertise at your service

## DESIGN LAB

When your application requires more than one of our high-quality standard products, Crouzet's multidisciplinary team is ready to partner with you in the development of the best customized solution dedicated to your project.



High-quality and  
efficient manufacturing



Uncompromising and  
highest standards



## EXPERTISE AND TECHNOLOGY BEHIND EVERY PROJECT

OUR WIDE RANGE OF PRACTICAL AND EASY TO USE AUTOMATION AND CONTROL PRODUCTS ARE MANUFACTURED ACCORDING TO INTERNATIONAL AND ENVIRONMENTAL STANDARDS INCLUDING : UL, CSA, GL, CCC, TUV, CE, ROHS AND REACH.



## AMERICAS

### CANADA

Tel.: +1 (855) 929-5465  
americas.custserv@crouzet.com

### MEXICO

Tel.: +1 (855) 929-5465  
americas.custserv@crouzet.com

### USA

+1 (855) 929-5465  
americas.custserv@crouzet.com

### COUNTRIES NOT LISTED

+1 (855) 929-5465  
americas.custserv@crouzet.com

## EUROPE / MIDDLE EAST / AFRICA

### BELGIUM

Tel.: +32 (0) 2 620 06 05  
Fax: +32 (0) 2 461 00 23  
klantenservice@crouzet.com

### FRANCE

Tel.: +33 (0) 475 802 101  
Fax: +33 (0) 475 828 900  
relationclient@crouzet.com

### GERMANY / AUSTRIA

Tel.: +49 (0) 2103/9385930  
Fax: +49 (0) 2103/980-222  
kundenservice@crouzet.com

### ITALY

Tel.: +39 (02) 38 594 099  
Fax: +39 (02) 82 952 104  
assistenzaclienti@crouzet.com

### SPAIN / PORTUGAL

Tel.: +34 (91) 215 80 95  
Fax: +34 (93) 2 20 02 05  
atencionalcliente@crouzet.com

### SWITZERLAND

Tel.: +41 (0) 225 67 57 90  
Fax: +41 (0) 565 88 02 75  
kundenservice@crouzet.com

### THE NETHERLANDS

Tel.: +31 (0) 20-654 52 20  
klantenservice@crouzet.com

### UNITED KINGDOM

Tel.: +44 (0) 2076 600 025  
customer.relation@crouzet.com

### COUNTRIES NOT LISTED

Tel.: +33 (0) 475 802 102  
Fax: +33 (0) 475 828 900  
customer.relation@crouzet.com

## ASIA / PACIFIC

### CHINA

Tel.: +86 (752) 5303 200  
china@crouzet.com

### INDIA

Tel.: +91 (80) 67624500/01  
india@crouzet.com

### SOUTH KOREA

Tel.: +82 (2) 2679 8312  
korea@crouzet.com

### SOUTH ASIA PACIFIC

Tel.: +86 (752) 5303 200  
eap@crouzet.com

### Warning:

The product information contained in this catalogue is given purely as information and does not constitute a representation, warranty or any form of contractual commitment. Crouzet and its subsidiaries reserve the right to modify their products without notice. It is imperative that we should be consulted over any particular use or application of our products and it is the responsibility of the buyer to establish, particularly through all the appropriate tests, that the product is suitable for the use or application. Under no circumstances will our warranty apply, nor shall we be held responsible for any application (such as any modification, addition, deletion, use in conjunction with other electrical or electronic components, circuits or assemblies, or any other unsuitable material or substance) which has not been expressly agreed by us prior to the sale of our products.