



# Quality and Environmental requirements to providers

PCA.029.EN.I

Procedure

## Document authorization

	Nom / Prénom	Fonction	Date	Signature
Etabli par	Marie-Jeanne BEGUIN	AQF	24/01/2024	
Vérifié par	Emilie <b>VARCIN</b>	Resp. <b>SMI</b>	24/01/2024	
	Antoine Aznar	Préventeur HSE Valence	24/01/2024	
Autorisé par	Pierre Douet	Directeur Achats	25/01/2024	
	<b>Simplice Kayo De Kayo</b>	<b>Directeur des opérations</b>	29/01/2024	
	<b>Daniel CONSTANT</b>	Directeur Qualité	29/01/2024	

*Hard copies uncontrolled*

*This document is the property of CROUZET; its contents cannot be reproduced without its written agreement.*

*In case of conflict in requirements between English and French versions only the French version in latest issue shall prevail.*

## Type of modifications

Rev.	Date	Written by	Type of modification
<i>I</i>	<i>01/2024</i>	<i>E. VARCIN P. DOUET MJ. BEGUIN C. ROMULUS</i>	<ul style="list-style-type: none"> <li>. ✈ <i>Reference to EN 9102 (FAI) added.</i></li> <li>. <i>Reference to the responsible purchasing Charter.</i></li> <li>. <i>PA23699 (AFNOR): inclusion of service providers carrying out a Crouzet manufacturing operation.</i></li> <li>. <i>PA23732: inclusion of DASSAULT supplier non-compliance.</i></li> </ul>
H	23/11/2021	D.CONSTANT E. THIOILLIER	<ul style="list-style-type: none"> <li>. ✈ Update in accordance with EN 9130 revision 2020.</li> <li>. Updates in line with the update of the PCEI / QEI to AFC (F.105G42)</li> <li>. §6.18: addition of the applicability of the requirement to category "P" providers.</li> <li>. OHSAS 18001 replaced by ISO 45001.</li> </ul>
G	14/01/2020	A.BONNARD  E. THIOILLIER	<p>Added requirements for external service providers (P column).</p> <ul style="list-style-type: none"> <li>. 6.9.1 🚚 Reference to MAQMSR (SMQ minimum requirements for IATF)</li> <li>. 6.16.10 and 6.19.2 details on the method and timeframes for responding to non-conformities</li> <li>. The term "Supplier" is replaced by "Provider".</li> </ul>
F	08/04/2018	A.BONNARD	<ul style="list-style-type: none"> <li>. § 6.12.4.1 added for the AERO market of a Declaration of conformity with serial deliveries (PA 19075)</li> <li>. § 6.12.4.2 deleted note 2</li> <li>. Rewriting of §6.12.4.4</li> <li>. § 6.12.2 limited to CGA</li> </ul>
E	27/07/2018	A.BONNARD	<ul style="list-style-type: none"> <li>§5.1 Precision for taking into account market article on the order</li> <li>§6.11 Point attention on customer requirements added</li> <li>§6.15 FOD point of attention added</li> <li>§9 Provider validation with (PS18508) matrix</li> <li>Point numbering to link with the (F.029G03) compliance matrix</li> </ul>
D	03/03/17	E. Thiollier B. Louit	<p>Total redesign Integration of new IATF 16 949v.2016 and EN 9100v.2016 requirements.</p>
C	Avril 2013	A. NAFIL	Redesign
B	Dec. 2008	F. ROBERT	<p>Update:</p> <ul style="list-style-type: none"> <li>• panel-based normative requirements for the selection of new Providers,</li> <li>• requirements regarding the capabilities of the manufacturing processes,</li> <li>• prohibited substances.</li> </ul> <p>Consideration:</p> <ul style="list-style-type: none"> <li>• the Health, Safety and Environment charter</li> <li>• the European "Reach" regulation.</li> </ul> <p>Removal of redundancies with the general terms and conditions of Purchase.</p>

Note: Except in the case of a redesign, the modifications in the last index are indicated in **bold / italic / blue**.

# Contents

- 1- PURPOSE AND SCOPE ..... 5
- 2- PURCHASING POLICY ..... 6
- 3- REFERENCE DOCUMENTS ..... 7
- 4- ACRONYMS, CAPTIONS AND DEFINITIONS ..... 8
  - 4.1. Classified characteristics (sometimes referred to as special or key characteristics) ..... 8
  - 4.2 AFC (Approval File Component) ..... 9
  - 4.3 VMI (Vendor Management Inventory) ..... 9
  - 4.4 Provider Portal ..... 9
  - 4.5 PQA (Parts Quality Assurance) ..... 9
- 5- PREAMBLE ..... 10
  - 5.1 PQA (Parts Quality Assurance) ..... 10
  - 5.2 Selecting a new Provider ..... 10
- 6- PROVIDER’S MANAGEMENT SYTEM ..... 11
  - 6.1 ISO 9001 § 4.4 – Quality and its process Management System – Supplemental ..... 11
  - 6.2 ISO 9001 § 6.1 – Actions to manage risks – Supplemental ..... 13
  - 6.3 ISO 9001 § 7.1.4 – Environment for implementation of the processes – Supplemental ..... 13
  - 6.4 ISO 9001 § 7.1.5 – Monitoring and measurement resources – Supplemental ..... 14
  - 6.5 ISO 9001 § 7.5 Control of documented information – Supplemental ..... 15
  - 6.6 ISO 9001 § 8.1.2 - Communication with Crouzet – Supplemental ..... 16
  - 6.7 ISO 9001 § 8.2.2 - Defining product-related requirements – Supplemental ..... 16
  - 6.8 ISO 9001 § 8.3.4 – Design and development - Supplemental ..... 17
    - 6.8.1 Control plan ..... 17
    - 6.8.2 Performance objectives ..... 17
  - 6.9 ISO 9001 § 8.3.4 - Control of design and development – Supplemental requirement ..... 18
  - 6.10 ISO 9001 § 8.3.6 - Design and development changes – Supplemental ..... 18
  - 6.11 ISO 9001 § 8.4 - Control of processes, products and services supplied by external providers – Supplemental ..... 19
  - 6.12 ISO 9001 § 8.5.1 - Control of production and service provision - Supplemental ..... 20
    - 6.12.1 Guaranty ..... 20
    - 6.12.2 Delivery Note ..... 20
    - 6.12.3 Other accompanying documents ..... 20
  - 6.13 ISO 9001 § 8.5.2 - Identification and traceability - Supplemental ..... 21
    - 6.13.1 Container identification ..... 21

6.13.1.1	Typical scenario .....	21
6.13.1.2	Plastic materials (additional requirements) .....	22
6.13.2	Traceability .....	22
6.14	ISO 9001 § 8.5.3 - Crouzet property - Additional requirements .....	24
6.15	ISO 9001 § 8.5.4 - Preservation – Additional Requirements .....	25
6.16	ISO 9001 § 8.7 – Control of non-conforming products – Additional Requirements .....	25
6.17	ISO 9001 § 9.1.1 – Monitoring, measurement, analysis and assessment – Additional Requirements .....	27
6.18	ISO 9001 § 9.2 – Internal audits – Additional Requirements .....	27
6.19	ISO 9001 § 10.2 – Non-conformities and corrective actions – Additional Requirements.....	28
6.20	Requirements relating to materials .....	29
6.20.1	« Reach » regulation.....	29
6.20.2	« RoHS » Directive .....	29
6.20.3	Other prohibited substances .....	30
6.20.4	Conflict minerals.....	30
7-	APPENDIX – STATEMENTS / CERTIFICATES OF CONFORMITY .....	31
8-	APPENDIX – DECLARATION OF CONFORMITY RoHS & REACH (example for Providers) .....	31
9-	INFORMATIVE APPENDIX – PROVIDER PERFORMANCE MEASUREMENT .....	31
<b>10-</b>	<b><i>ANNEXE - Responsible Purchasing Charter</i></b> .....	<b>31</b>
11-	PROVIDER APPROVAL.....	31

# 1- PURPOSE AND SCOPE

This document PCA.029 describes the Quality, Logistic, Purchasing and Environmental requirements defined by the Crouzet contractor.

This procedure is a contractual document between Crouzet and the Provider, and constitutes one element of the “supply agreement”. It supplements the General Terms and Conditions of Sale.

The current requirements may also be repeated or supplemented in other Crouzet documents where these exist. Since the objective of the Purchasing process is orientated towards the End customer, certain requirements specific to the Crouzet Customer may be added on a case-by-case basis.

A distinction is made between the following different categories of Provider:

- **S Reseller:**  
Supplies standard products as defined by an international standard or a sales catalogue. Crouzet expresses no specific requirement in terms of the material, part or component. Providers of this type neither design nor manufacture the products they sell.

This category excludes raw material resellers.

- **R Raw material Reseller:**  
This category does not include raw material resellers who carry out processing, stabilizing or packing operations (see M).

- **D Designer:**  
is the designer of the manufactured product when the design is not created by Crouzet. The designer supplies products produced according to their own manufacturing or inspection documentation.

This category includes “wholesale” Providers who supply products or accessories which Crouzet resells without modification (buy/resell products).

This category does not include Providers who have designed products for Crouzet in response to a Crouzet drawing or specification (see M).

- **M Manufacturer:**  
Performs one or more operations according to their own manufacturing or inspection documentation to produce parts, components, sub-assemblies or products according to a Crouzet drawing or specification.

This category includes Providers who:

- only perform one operation, whether this is visible or not (e.g. surface treatment, washing), provided that Crouzet does not impose their own process,
- supply raw materials and carry out a processing (e.g. slitting), stabilization or packing operation,
- produce a product specifically for Crouzet, even if they are the designer of the product (in this case, the product meets a Crouzet specification).

- **P Key Service Provider:**  
It provides a service. This service can be punctual or regular. In any case, on the basis of either a specification or a contract.

Depending on the items purchased, a single Provider may belong to any of these categories. It is the Provider's responsibility to define the relevant category at the time an order is placed in order to determine the applicable requirements.

## 2- PURCHASING POLICY

The aim of Crouzet's purchasing policy is to direct business to those Providers:

- who fulfill Crouzet's requirements and meet the specific requirements depending on the required market of the aerospace, defence, security, automotive and nuclear industries,
- and who will also be committed to building a fair, mutually beneficial, long term relationship with Crouzet.

Crouzet intends to align Provider performance with the levels expected by the Company and its Customers. This means focussing on Providers who are capable of ensuring the level of competitiveness required to grow market share on a sustainable basis, and who demonstrate the prerequisite excellence in quality and delivery timeliness. Crouzet also expects Providers to propose innovations and be involved in upstream developments.












**Crouzet's purchasing policy is based on establishing sustainable relationships and sharing methodologies and values with Providers by means of the following:**

- The panel of Providers, which must meet Crouzet's current and future needs in terms of performance (quality, cost, lead time), expertise and technological innovation.
- Upstream involvement of Providers in the Company's developments in order to be able to satisfy Customer requirements more comprehensively (proposing innovations, providing their expertise in designing and manufacturing the best performing Crouzet products at the best price in compliance with health, safety and environmental requirements).
- Application of procedures, management tools and performance measurement tools to Providers to help achieve excellence.
- Support for key Providers to help them adapt their organisation and industrial setup to meet expectations and respond to changing market requirements.

In addition to implementing a Quality System (see section "Provider Management System"), Crouzet encourages Providers to adopt a health, safety and environmental management approach in line with ISO 14001, OHSAS 18001 ISO 45001 or equivalent. Crouzet prioritizes Providers certified for the aimed market (ISO 9001, IATF 16949, AS / EN / JISQ 9100) and have a Health, Safety and Environmental management approach.

***In the end, Crouzet would like its partners to support it in its ethical, social and responsible commitment by signing the responsible purchasing Charter listed in Appendix I of this document.***

### 3- REFERENCE DOCUMENTS

 ISO 14001	Environment management systems : requirements
 ISO 45001	Health, Safety management systems : requirements
ISO 9001	Quality management systems : requirements
 AS/EN/JISQ 9100	QMS – Requirements for Aviation, Space and Defense Organizations
 AS/EN/JISQ 9120	QMS – Aerospace Requirements for Stockist Distributors
 EN 9130	Quality systems - Retention of records
 NF L 00 015	Declaration of conformity
 <b>EN 9102</b>	<b><i>NF EN 9102 – Aerospace series - First article review (FAI)</i></b>
 IATF 16949	Quality management systems – Special requirements for application of ISO 9001 for mass production and spare part manufacturing in the automotive industry
 MAQMSR	Minimum Automotive Quality Management System Requirements for Sub-Tier Providers (IATF)
MSA	Measurement System Analysis (by Chrysler-Ford-General Motors)
 ISO 80079-34	Application of quality systems for explosive atmospheres
 SGAQ	General Specification for Quality Assurance
ISO 22301	Societal security - Business continuity management systems
RoHS	Restriction of the use of certain Hazardous Substances in electrical and electronic equipment RoHS 2015/863/UE
REACH	Registration, evaluation and authorization of chemicals (CE) #1907/2006 - 18/12/2006
GALIA EMB-1	Non-reusable packaging (cartons and pallets)
ISO 3394	Dimensions of rigid rectangular shipping containers










UL 746 D	Standard for Polymeric Materials - Fabricated Parts
----------	---

***Responsible Purchasing Charter (on [www.crouzet.com](http://www.crouzet.com))***

F.029G03      PCA.029 Compliance Matrix  
F.105G42      Approval File Component (AFC)

## 4- ACRONYMS, CAPTIONS AND DEFINITIONS



Specific requirement relating to orders for products, components and materials destined for the following market:

	Identify a requirement / practice applicable only to the automotive market		Identify a requirement / practice applicable only to the ATEX-IECEX market
	Identify a requirement / practice applicable only to the aeronautical or military market		Identify a requirement / practice applicable only to the nuclear market
	<i>Identify an environmental requirement / practice</i>		<i>Identify a Health &amp; safety requirement / practice</i>
	Identify the recordings	GPC	General Purchasing Conditions
IS	Initial Sample	AFC	Approval File Component (F.105G42)
PQA	Part Quality Assurance	PP	Provider Portal
PEP	Product Environmental Profile	CMRT	Conflict Minerals Reporting Template
VMI	Vendor Management Inventory	PQA	Parts Quality Assurance
INCOTERMS	International Commercial Terms	LOP	Life Of Product
<b><i>FAI</i></b>	<b><i>First Article Inspection</i></b>		

### 4.1. Classified characteristics (sometimes referred to as special or key characteristics)

The product drawings designed by Crouzet may include symbols identifying characteristics to which specific requirements apply (process capability, special controls, etc.). These symbols are:


- <C> identifies characteristics related to the regulation or safety,

-  <C> identifies characteristics related to safety in use in an explosive atmosphere (ATEX),
-  <C> identifies safety-related features in use in a nuclear environment, also known as Activities Important for Protection (AIP),
- <M> identifies major/key characteristics for operation of the product.

## 4.2 AFC (Approval File Component)

AFCs are documents which are drawn up on creation or modification of purchased items for which Crouzet defined additional requirements.

Their main purposes are :

- to identify the primary target market for which the item is supplied (automotive, aerospace, military, nuclear, ATEX or general industrial),
- to identify the components that are covered by a  Molders Program,
- to define the requirements applicable to initial sample orders, to define the requirements for initial sample orders, and their associated manufacturing and control process (in terms of qualification),
- to define, if necessary, the specific requirements applicable to orders for series production of the item concerned.

## 4.3 VMI (Vendor Management Inventory)

Warehouse located close to Crouzet where an inventory of Providers' components is stored and for which Crouzet is responsible.

## 4.4 Provider Portal

Communication portal between Crouzet and its Providers.

## 4.5 PQA (Parts Quality Assurance)

Crouzet's quality control function responsible for handling all non-conformities relating to purchased components (waivers, analyses, actions plans, etc.).

## 5- PREAMBLE

### 5.1 PQA (Parts Quality Assurance)

Crouzet's requirements are detailed in the following documents:

- purchase order & terms and conditions of Purchase
- contract (if applicable),
- AFC (Approval File Component)
- and this procedure PCA 029.

In the event of conflicting requirements, the documents above are listed in descending order of priority.

Orders to key service providers refer to the current PCA.029 index.

It is the responsibility of the Provider to check on the order for which market is intended the article to be supplied in order to determine the requirements applicable to it.


For simple orders, the date indicated is the one of availability according to the INCOTERMS validated with the provider.

Dates are expressed as day-month-year.

Item code and drawing No. are not necessarily the same thing.


### 5.2 Selecting a new Provider

In addition to the technical, sales and quality considerations, the process for selecting a new Provider involves requesting the prospective Provider to submit and/or validate several documents, including:

- Non-disclosure agreement
- screening and selection questionnaires/audits,
- an initialled and signed copy of this procedure PCA 029, accompanied in the event of any disagreement with one or more of Crouzet's requirements by a compliance matrix as shown in section "Provider Management System" of this procedure PCA 029,
- The terms and conditions of Purchase signed
- loading/unloading protocol(s) on behalf of the carrier(s) delivering the supplies to Crouzet (DAP Crouzet incoterm),
- if applicable (for plastics Providers), the QMMY2 certification number or, failing that, proof of intention to register for  Molders program certification (see section "Identification and traceability"),

## 6- PROVIDER'S MANAGEMENT SYTEM

Note: All requirements of ISO 9001 apply. The section titles of this standard appear below if Crouzet has additional requirements.

 For non-certified Service Providers involved in the automotive market, the MAQMSR, Minimum Automotive Quality Management System Requirements for Sub-Tier Providers, available on the IATF website, applies.

**« X\* » : Concerns service providers who carry out an operation in the CROUZET manufacturing process.**

### 6.1 ISO 9001 § 4.4 – Quality and its process Management System – Supplemental

	Provider				
	S	R	D	M	P
6.1.1 To satisfy the requirements not only of Crouzet but also of its own Customers, Providers must implement a targeted Management System:					
<ul style="list-style-type: none"> <li>6-1-1-1 total accountability of Providers and evolution of relations towards partnership. The Provider must:               <ul style="list-style-type: none"> <li>➤ monitor the performance of their manufacturing processes in order to ensure they satisfy Crouzet requirements</li> <li>➤ comply with and/or anticipate environmental and health &amp; safety regulations such as REACH and the RoHS directive.</li> </ul> </li> </ul>	X	X	X	X	X
<ul style="list-style-type: none"> <li>6-1-1-2 "Zero fault" must always be the objective of a continuous quality improvement process using the widest possible range of:               <ul style="list-style-type: none"> <li>➤ anti-error devices (locating devices, foolproof devices – poka yoke),</li> <li>➤ rigorous problem-solving methods,</li> <li>➤ and management and reduction of variability in the company's manufacturing processes.</li> </ul> </li> </ul>	X	X	X	X	X
<ul style="list-style-type: none"> <li>6-1-1-3 the performance in terms of quality and service should be obtained in globally competitive economic conditions.</li> </ul>	X	X	X	X	X
<ul style="list-style-type: none"> <li>6-1-1-4 the delegation of inspection (quality control) of deliveries to Crouzet should be a permanent objective.</li> </ul>	X	X	X	X	
<ul style="list-style-type: none"> <li>6-1-1-4-1 the recipe will be validated once the service is completed.</li> </ul>					X
<ul style="list-style-type: none"> <li>6-1-1-5 respect for the agreed delivery schedule (this should be an ongoing objective)</li> </ul>	X	X	X	X	X
<ul style="list-style-type: none"> <li>6-1-1-6 commitment to transparency in the composition of your products in order to facilitate the life cycle analysis of our products</li> </ul>	X	X	X	X	-
<ul style="list-style-type: none"> <li>6-1-1-7 use of packaging of appropriate size and quantity, preferably re-usable and recyclable,</li> </ul>	X	X	X	X	X*
<ul style="list-style-type: none"> <li>6-1-1-8 compliance with regulations in general, specifically:               <ul style="list-style-type: none"> <li>➤ European health &amp; safety and environmental regulations,</li> <li>➤ transport regulations (ADR).</li> </ul> </li> </ul>	X	X	X	X	X

6-1-1-9 ✈ The Provider must ensure that his staff is aware of: <ul style="list-style-type: none"> <li>his own contribution to product compliance and safety</li> <li>the importance of his ethical behaviour</li> </ul>	X	X	X	X	X
6.1.2 The Provider shall be ISO 9001, AS/EN/JISQ 9100, AS/EN/JISQ 9120, or ISO / TS 16949 or IATF 16949 current versions certified by an accredited body for the field(s) covering Crouzet's purchases orders (see AFC).  If the Provider is not certified to the required level, he must prove that he is engaged in a process of certification and, as a minimum, must comply with the requirements of the relevant standards.	X	X	X	X	X
6.1.3 A copy of (the) certificate (s) must be sent to Crouzet's Buyer each renewal of its certification.  The Provider shall inform Crouzet other certifications and accreditations in its possession and provide a copy to Crouzet's Buyer.	X	X	X	X	X
6.1.4 Additional requirements to ISO 9001 described below apply.	X	X	X	X	X
6.1.5 🚗 For Providers of components for the automotive business, compliance the third-party certification to ISO 9001 norm is the minimum requirement and the one to ISO/TS 16949 or to IATF 16949 should be a target.	-	-	-	X	X*
6.1.6 ✈ Any part or product for the aerospace market imposes on the Providers a certification to EN 9100 or EN 9120 by an accredited organization within 2 years from the date of qualification of the part.	X	X	X	X	-
6.1.7 ✈ The Provider implementing special processes must: <ul style="list-style-type: none"> <li>be NADCAP accredited in the relevant field.</li> </ul> If not, he must: <ul style="list-style-type: none"> <li>have the process qualified by persons or companies formally qualified to do so</li> <li>document the qualification and monitoring method of the special processes.</li> </ul>	-	-	-	X	-
6.1.8 💣 Providers of components intended for activities related to an explosive atmosphere must be familiar with the ISO/IEC 80079-34 Quality System standard.	-	-	-	X	-
6.1.9 🏭 For Providers of components for nuclear business, compliance with the additional requirements of SGAQ is required. Crouzet takes this reference available on request of the Provider.	-	-	X	X	-
6.1.10 ⚡ Molders Program: Crouzet may request a Provider to sign up to a UL Molders program, either independently under their own name (and thus holding their own approval file), or as a listed Provider in Crouzet's approval file.  In both cases, the Provider must:					

<ul style="list-style-type: none"> <li>6.1.10.1 implement methods to ensure traceability compliant with standard UL 746 D and identification according to the information in the "Identification and traceability" section in this procedure,</li> </ul>	-	-	-	X	-
<ul style="list-style-type: none"> <li>6.1.10.2 support monitoring audits conducted by the UL (4 times a year) and be in a position to produce (at least) one part number covered by the Molders Program,</li> </ul>	-	-	-	X	-
<ul style="list-style-type: none"> <li>6.1.10.3 inform Crouzet immediately of any withdrawal of the right to use the Molders Program certification number,</li> </ul>	-	-	-	X	-
<ul style="list-style-type: none"> <li>6.1.10.4 identify batches delivered using the Molders Program number (see section "Identification and traceability").</li> </ul>	-	-	-	X	-
6.1.10.5 The Provider must maintain confidentiality with respect to Crouzet's projects and products under development.	X	X	X	X	X

## 6.2 ISO 9001 § 6.1 – Actions to manage risks – Supplemental

	Provider				
	S	R	D	M	P
<p>6.2.1 Providers must be aware of the significant impact their resilience can have on both their own and their Customers' operations.</p> <p>They must establish, implement and maintain a business continuity plan (refer to ISO 22301) to ensure the sustainability of their business and continuity of service to Crouzet.</p> <p>This plan must be made available to Crouzet on request.</p>	X	X	X	X	X
<p>6.2.2 These plans must be derived from a structured risk management process (for handling such issues as obsolescence, breakdown, tool damage, exceeding capacity, limited technological expertise, etc.) to meet the applicable Crouzet requirements.</p> <p>This involves analysing, assessing, prioritising and mitigating risks, and informing Crouzet of such risks immediately (see section "Communication with Crouzet").</p>	X	X	X	X	X
<p>6.2.3 ✈ The Provider must take into account the risks of counterfeiting in its risk analysis process.</p>	X	X	X	X	X

## 6.3 ISO 9001 § 7.1.4 – Environment for implementation of the processes – Supplemental

	Provider				
	S	R	D	M	P
<p>6.3.1 The Provider shall maintain its premises in order, in accordance with the requirements of cleanliness and maintenance adapted to the products or services that Crouzet buys, and to the needs of its own manufacturing process.</p>	X	X	X	X	X

6.4 ISO 9001 § 7.1.5 – Monitoring and measurement resources – Supplemental

	Provider				
	S	R	D	M	P
<p>6.4.1 The Provider must conduct an initial repeatability and reproducibility (R&amp;R) study compliant with the American automotive industry's MSA (*):</p> <ul style="list-style-type: none"> <li>• On each &lt;C&gt; or &lt;M&gt; characteristics measurement system subject to the controls defined in the monitoring plans</li> <li>• At the express request of Crouzet (for a comparability study with Crouzet measurement systems, for example)</li> <li>• to document the managing and monitoring.</li> </ul> <p>(* Acceptance criteria (see section "Performance objectives"))</p>	-	-	-	X	X*
<p>6.4.2 The Provider must, for parts which may be designated by Crouzet in AFC as "appearance items":</p> <ul style="list-style-type: none"> <li>• provide suitable lighting in the inspection zones</li> <li>• provide standards for color, grain, gloss, metallic luster, texture, image sharpness, if necessary</li> <li>• have maintenance sheets and management of surface appearance standards and of the inspection equipment</li> <li>• ensure that the personnel responsible for inspecting the surface appearance is competent and qualified to do so.</li> </ul>	-	-	-	X	-

## 6.5 ISO 9001 § 7.5 Control of documented information – Supplemental

		Provider				
		S	R	D	M	P
6.5.1 The Provider must archive all records relating to product conformity in suitable conditions for the following period in addition to the current calendar year from the date of delivery to Crouzet (or more if this has been contractually defined):						
<ul style="list-style-type: none"> <li>6.5.1.1 results of controls, self- controls in production</li> </ul>	3 years	-	-	X	X	
<ul style="list-style-type: none"> <li>6.5.1.2 data and records of traceability used for the writing of the certificate of conformity, eventually required by Crouzet</li> </ul>	3 years	X	X	X	X	X
<ul style="list-style-type: none"> <li>6.5.1.3 evidence and results of non-conformity analysis (quality claim, deviation request, 8D report, ...)</li> </ul>	10 years	X	X	X	X	X
6.5.2 The Provider must grant access to all records issued or held to Crouzet and its customers or representatives.		X	X	X	X	X
6.5.3 The Provider shall consider the specific records as the property of Crouzet and accept to restore all records to Crouzet at their request.		X	X	X	X	X
6.5.4 The Provider shall agree not to delete specific records (after the contractual service life) without written authorization from Crouzet.		X	X	X	X	X
6.5.5 ✈ The Provider must adhere to standard EN 9130, i.e.:  Without further information, take into account that Crouzet sets the LOP (Life Of Product), at:  ✈ LOP = Duration of production of the product (estimated at 30 years) + duration of use of the last product manufactured (estimated at 30 years) = 60 years. <i>Given as an indication, may depend on the life of the aircraft programme.</i>		X	X	X	X	X
6.5.6 🚚 The Provider retains a record of the date when each change in product and/or manufacturing process is implemented during production. He must record the significant events of processes (repairs to machine, etc.).		-	-	-	X	X*



## 6.6 ISO 9001 § 8.1.2 - Communication with Crouzet – Supplemental

	Provider				
	S	R	D	M	P
6.6.1 The Provider must inform Crouzet <i>within a period not exceeding 3 days</i> in the following situations:					
<ul style="list-style-type: none"> <li>6.6.1.1 Acknowledging receipt of a Crouzet's order to the Purchasing department (see the GPC).</li> </ul>	X	X	X	X	X
<ul style="list-style-type: none"> <li>6.6.1.2 Informing the relevant Crouzet representative defined on the order immediately of any issue likely to delay delivery.</li> </ul>	X	X	X	X	X
<ul style="list-style-type: none"> <li>6.6.1.3 Informing Crouzet about potential obsolescence and proposing alternatives.</li> </ul>	X	X	X	X	X
<ul style="list-style-type: none"> <li>6.6.1.4 Informing Crouzet about any non-conformity, including those discovered after delivery to Crouzet (see "Control of non-conforming products").</li> </ul>	X	X	X	X	X
<ul style="list-style-type: none"> <li>6.6.1.5 Informing Crouzet of any incident impacting Crouzet deliveries (see "Product planning" and "Crouzet property") and making proposals in the sense of resumption of business.</li> </ul>	X	X	X	X	X
<ul style="list-style-type: none"> <li>6.6.1.6 Informing Crouzet of any modification (see "Design modification") to the following: <ul style="list-style-type: none"> <li>➤ Product,</li> <li>➤ manufacturing process,</li> <li>➤ manufacturing site.</li> </ul> </li> </ul>	-	-	X	X	X*
<ul style="list-style-type: none"> <li>6.6.1.7 Providing regular reports on the condition of equipment belonging to Crouzet (see "Crouzet property") and making proposals.</li> </ul>	-	-	-	X	-

## 6.7 ISO 9001 § 8.2.2 - Defining product-related requirements – Supplemental

	Provider				
	S	R	D	M	P
6.7.1 The Provider must be able to prove compliance with all Crouzet requirements in terms of identification, documentation and control of classified characteristics (see "Definitions").	-	-	-	X	X*

## 6.8 ISO 9001 § 8.3.4 – Design and development - Supplemental

### 6.8.1 Control plan

	Provider				
	S	R	D	M	P
<p>6.8.1.1 The Provider must establish, maintain and implement monitoring plans in compliance with the Appendix to standard ISO/TS 16949 or IATF 16949.</p> <p>They can be dedicated to the individual component or applicable to a whole family of components.</p> <p>They must be referenced, indexed and validated.</p> <p>They must be submitted to Crouzet with every initial sample supply and with every requisition.</p>	-	-	-	X	X*
<p>6.8.1.2 The classified characteristics (see § "Definitions") must be identified by using, where appropriate, the Crouzet symbol.</p> <p>A double identification "Provider's symbol – Crouzet's symbol" is allowed.</p>	-	-	-	X	-
<p>6.8.1.3 Nota: Controls of several characteristics can be reduced to the control of one of them if correlation studies demonstrate their close dependence.</p>	-	-	-	X	-

### 6.8.2 Performance objectives

	Prestataire				
	S	R	D	M	P
<p>The performance objectives for manufacturing processes (capability) and measurement systems (R&amp;R) are defined in the AFC.</p>	-	-	-	X	-

Note: the classification following this procedure does not authorize an overtaking of the tolerances of not classified characteristics / parameters.

## 6.9 ISO 9001 § 8.3.4 - Control of design and development – Supplemental requirement

### Initial Samples – Approval of the manufacturing process

	Provider				
	S	R	D	M	P
6.9.1 The qualification process for new part numbers products supplied to Crouzet is accompanied by validation of a list of deliverables. This list will be adapted according to the part and the field of application in the AFC.  Qualification will be confirmed based on all the elements required by the AFC.	-	-	X	X	-
6.9.2 Any change (during or after the approval process) must be subject to a new presentation.	-	-	X	X	-
6.9.3 The approval of parts is necessary for the acceptance of and payment for tools where appropriate, and the start of production. The status of approval will be notified to the Provider.	-	-	X	X	-
<b>✈</b> <i>EN 9102 applies, in particular § 4.6 Partial review or resumption of the Review first article: "A production stoppage of two years requires an update for all characteristics that may be affected by this inactivity. This stoppage is measured from the end of the last production operation to the actual resumption of production".</i>					

Note: The approval process of a Crouzet Customer can be imposed instead of the here mentioned approval process.

## 6.10 ISO 9001 § 8.3.6 - Design and development changes – Supplemental

	Provider				
	S	R	D	M	P
6.10.1 The Provider must notify Crouzet at least 6 months in advance to seek Crouzet's express approval for:					
<ul style="list-style-type: none"> <li>6.10.1.1 relating to the product affecting Crouzet requirements while respecting the procedure for acceptance of new or modified products</li> </ul>	-	-	X	X	-

<ul style="list-style-type: none"> <li>6.10.1.2 any modification relating to the manufacturing process where this impacts Crouzet requirements in terms of complying with the acceptance procedure for new or modified products. Subcontracting which had not been planned at the outset is deemed to be a modification of the manufacturing process. A manufacturing synoptic identifying subcontracted operations is required by the AFC.</li> </ul>	-	-	-	X	-
<ul style="list-style-type: none"> <li>6.10.1.3 relating to the production site affecting Crouzet requirements while respecting the procedure for acceptance of new or modified products</li> </ul>	-	-	X	X	X*

### 6.11 ISO 9001 § 8.4 - Control of processes, products and services supplied by external providers – Supplemental

	Provider				
	S	R	D	M	P
6.11.1 The Provider must take full responsibility for outsourced processes to ensure conformity with all Crouzet requirements and communicate these requirements expressed by Crouzet, including severity classes <C> and <M>, to all subcontractors.	-	-	X	X	-
6.11.2 When Crouzet requires (plan, specification, ...) directly (Provider name, ...) or indirectly (name of a standardized process, ...), the Provider shall purchase products, materials or services from sources approved by Crouzet.	-	-	-	X	-
6.11.3 The Provider must take appropriate measures to prevent the purchase of counterfeit or unapproved products.	X	-	-	-	-
6.11.4 The Provider must comply with European regulations applicable to hazardous materials (REACH, RoHs) as well as with Crouzet's own specific requirements (see the dedicated section on requirements for health, safety, environment and materials).	X	X	X	X	-
6.11.5 All Crouzet requirements must be communicated to Providers and lower tier Subcontractors. (included specific customer requirements identified in AFC)	X	X	X	X	-
6.11.6 ✈️ Crouzet reserves the right to impose on its Providers the use of sub-Providers or providers approved by itself or its own Customers.	X	X	X	X	-

## 6.12 ISO 9001 § 8.5.1 - Control of production and service provision - Supplemental

### 6.12.1 Guaranty


See General Purchasing Conditions (GPC).

### 6.12.2 Delivery Note

	Provider				
	S	R	D	M	P
<p>6.12.2.1 Delivery notes must comply with international Customs requirements, stating the following information in particular:</p> <ul style="list-style-type: none"> <li>• order Nos. and line item Nos.</li> <li>• Crouzet codes or numbered references.</li> <li>• Quantities.</li> <li>• Manufacturing batch No.</li> </ul>	X	X	X	X	-

### 6.12.3 Other accompanying documents

	Provider				
	S	R	D	M	P
<p>6.12.3.1 Attach the accompanying documents required by the order or the contract to the note or on AFC, taking care to include the certificates of compliance with the terms of delivery of the order.</p> <p>✈ Systematically, a Declaration of Conformity must be drawn up according to the provisions called for in the order or contract, failing this, according to the NF L 00-015 standard or equivalent.</p>	X	X	X	X	-
<p>6.12.3.2 The certificates of conformity (other than those relating to the material) must be drawn up in accordance with standard NF L 00 015 - certificate of compliance - or its national equivalent (see appendix).</p> <p>Note: If deliveries relate to several orders and several line items, pay particular attention to the quantities corresponding to each order No. and each line item No.</p>	X	X	X	X	-

6.12.3.3 If required by the AFC (parts covered by  Molders Program), the Provider of plastic parts who is not QMMY2 certified must: <ul style="list-style-type: none"> <li>complete and enclose the Certificate of Type Conformity and the Declaration of Type Plastic (model provided by Crouzet, F.029G04),</li> <li>provide its intention to certify Molders program in its own name</li> </ul>	-	-	-	X	-
6.12.3.4 Each new batch delivered, (including delivered in VMI see § 4.3) must be accompanied by the required documents. The documents must be either with the parts, or downloaded on the "Reception Control" module of the Provider collaborative portal (PP if possible).	X	-	X	X	-
6.12.3.5 Exception to this requirement: For materials Providers, raw materials samples must be sent with their accompanying documentation at the time of shipment. These will be transmitted to the Crouzet factories (incoming inspection) by our outsourced platform.	-	X	-	-	-



## 6.13 ISO 9001 § 8.5.2 - Identification and traceability - Supplemental

### 6.13.1 Container identification

#### 6.13.1.1 Typical scenario

	Provider				
	S	R	D	M	P
6.13.1.1.1 The following information must appear on every container: <ul style="list-style-type: none"> <li>Provider identification (company name and code as a minimum requirement),</li> <li>Crouzet code/reference and version,</li> <li>Provider's manufacturing batch No.,</li> <li>quantity in the container,</li> <li>other contractual documents if applicable,</li> <li>applicable waiver reference (if applicable) (see section "Control of non-conforming products").</li> </ul>	X	X	X	X	-
6.13.1.1.2 The following information must appear on the packaging of each individual package inside the main container (i.e. on each sachet if parts are bagged and the sachets packed in a box): <ul style="list-style-type: none"> <li>Crouzet code/reference and version,</li> <li>Provider's manufacturing batch No.,</li> <li>Quantity in the container,</li> <li>applicable waiver reference (if applicable) (see section "Control of non-conforming products").</li> </ul>	X	X	X	X	-

### 6.13.1.2 Plastic materials (additional requirements)

	Provider				
	S	R	D	M	P
<p>6.13.1.2.1 If the Provider is QMMY2 certified (Molders Program) under their own name or via Crouzet's approval file, the following requirements apply in addition to those mentioned above:</p> <p>The following data must appear on every container:</p> <ul style="list-style-type: none"> <li>•  Molders Program No.</li> </ul>	-	-	-	X	-
<p>6.13.1.2.2 The following information must appear on the packaging of each individual package inside the main container, i.e. on each sachet if parts are bagged and the sachets packed in a box:</p> <ul style="list-style-type: none"> <li>•  Molders Program No.</li> </ul>	-	-	-	X	-

If the Provider is not QMMY2 certified, refer to the section "Accompanying documents".

### 6.13.2 Traceability

	Provider				
	S	R	D	M	P
6.13.2.1 The Provider must have the means of being able to track parts and, if applicable, the material used. (batch No., Manufacturing batch No., date of manufacture, etc.).	-	-	-	X	-
6.13.2.2 ✈ For Aeronautic products, the Provider must implement an ascending and descending tracking procedure for Crouzet parts. He must routinely obtain and systematically keep a certificate of material conformity of the parts for each delivery.	-	-	-	X	-
6.13.2.3 ✈ The Provider must ensure the follow-up of all control brands (stamp, electronic signature, passwords).	X	X	X	X	-
6.13.2.4 ✈ These data and all elements of traceability must be kept available for Crouzet. This does not relieve the Provider to deliver required certificates of conformity.	-	-	-	X	-

6.13.2.5 Special case of molded parts: except for impossibility or anteriority, traceability must be ensured by integrating month/year dates and impression numbers in the molds and making proposals if the part drawings or tooling specifications do not include formal requirements.	-	-	-	X	-
--	---	---	---	---	---

AFC may request to provide procedure for traceability and for awarding the batch number of production.



6.14 ISO 9001 § 8.5.3 - Crouzet property - Additional requirements

	Provider				
	S	R	D	M	P
<p>6.14.1 About property of Crouzet or of its Customer, the Provider must:</p> <ul style="list-style-type: none"> <li>mark in an indelible fashion all tools and manufacturing, testing and inspection equipment belonging to Crouzet or its Customer, so that the owner of each object can be clearly seen and is easily identifiable. Crouzet provides the property nameplate to be used.</li> <li>Provide frequent information on the good condition of the CROUZET equipment available for production: The Provider must set up, update and communicate minimum every 6 months an inventory of this equipment that can also be searchable by CROUZET at any time. Specific requests for tools deemed critical, failing, at risk and at the end of their life must be subject to justified requests through the PP: <ul style="list-style-type: none"> <li><input type="radio"/> Renewal</li> <li><input type="radio"/> Requalification in state</li> <li><input type="radio"/> Intervention / repair</li> <li><input type="radio"/> Repurchase (in case of end of production)</li> <li><input type="radio"/> Modification (product / Process improvement)</li> </ul> </li> <li>store these tools in a secure location.</li> <li>take out new-for-old insurance guaranteeing reconstruction of tools and manufacturing, testing and inspection equipment belonging to Crouzet in the event of a claim, and supply proof of this on an annual basis (see section "Communication with Crouzet").</li> <li>Use, identify, maintain, regulate, calibrate, periodically check, including bearing the costs of these operations, the production and control facilities provided by Crouzet under the current loan for use contract.</li> </ul>				X	-
<p>6.14.2 About records, the Provider shall:</p> <ul style="list-style-type: none"> <li>consider the specific records as the property of Crouzet and accept to restore all records to Crouzet at their request,</li> <li>agree not to delete specific records (after the contractual service life) without written authorization from Crouzet.</li> </ul>	X	X	-	X	-

## 6.15 ISO 9001 § 8.5.4 - Preservation – Additional Requirements

	Provider				
	S	R	D	M	P
The Provider must:					
6.15.1 ensure that the products are packaged in accordance with the requirements: <ul style="list-style-type: none"> <li>➤ defined in technical specifications, orders and purchase contracts,</li> <li>➤ environmental concerns that may be expressed,</li> <li>➤ and by seeking the best possible compliance with standards:               <ul style="list-style-type: none"> <li>• GALIA EMB-1 - disposable cardboard packaging and pallets</li> <li>• ISO 3394 - dimensions of rigid rectangular shipping containers,</li> </ul> </li> </ul>	X	X	X	X	X*
• 6.15.2 use appropriate packaging to ensure products remain clean after the manufacturing process up to the point at which they are delivered to Crouzet,	X	X	X	X	X*
• 6.15.3 ✈ Implement a prevention plan for the presence of all foreign objects (FOD Foreign Object Debris),	X	X	X	X	X*
• 6.15.4 ensure that parts are supplied in the agreed packaging and that labels remain intact during transport and storage. Any modifications must be subject to prior agreement of Crouzet,	X	X	X	X	X*
• 6.15.5 use a management system which guarantees: <ul style="list-style-type: none"> <li>➤ the principles of a "first in, first out" (FIFO) method to be applied</li> <li>➤ compliance to delivery schedules.</li> </ul>	X	X	X	X	X*

## 6.16 ISO 9001 § 8.7 – Control of non-conforming products – Additional Requirements

	Provider				
	S	R	D	M	P
6.16.1 In the event of a deviation from Crouzet requirements, the Provider must submit a waiver request before delivery to the PQA function and document the issue as fully as possible by indicating, as a minimum requirement: <ul style="list-style-type: none"> <li>• the exact nature of the dispensation and/or the fault noted,</li> <li>• the proportion of defective products and/or a statistical analysis enabling this proportion to be assessed,</li> <li>• the batch number concerned (if the waiver is sought after production), the desired quantity or duration,</li> <li>• a proposed action.</li> </ul>	X	X	X	X	-

6.16.2 If the waiver is accepted by Crouzet, the waiver number should be clearly identified on the packaging and delivery note.	X	X	X	X	-
6.16.3 If the Provider discovers that a non-conforming product has been delivered to Crouzet, they must inform the PQA function immediately both verbally and in writing, including in the event of belated detection of faulty or out-of-specification measuring, inspection or testing equipment.	X	X	X	X	-
6.16.4 The Provider must deal with questionable or obsolete products in a similar way to non-conforming products.	X	X	X	X	-
6.16.5 The Provider is responsible for the quality of the parts that are supplied to Crouzet. This responsibility covers: <ul style="list-style-type: none"> <li>the parts themselves,</li> <li>their transportation until the provision to Crouzet according to the agreed incoterm</li> <li>any quality issues concerning finished products supplied by Crouzet</li> </ul>	X	X	X	X	X*
6.16.6 The Provider must acknowledge receipt of any complaint relating to non-conforming deliveries promptly.	X	X	X	X	X*
6.16.7 The time frame for securing (identifying and isolating non-conforming or suspect parts in all stocks of finished and in-process products) and processing (sorting, replacement, ...) is 48 hours. See § 6.19.2.	X	X	X	X	X*
6.16.8 This action plan will be formulated in an 8D or equivalent format, which will be used to express the cause analysis and the corrective action plan that will follow.	X	X	X	X	X*
6.16.9 The processing of the claim will be done on an 8D model or equivalent. See §6.19.2.	X	X	X	X	X*

These actions are necessary to ensure the supply of conforming parts to our production units without disrupting our logistic flow and meeting our commitments to the Customers.

If Crouzet discovers a Quality problem, Crouzet reserves the right to lodge a complaint with the Provider using the appropriate means.

A cost sheet detailing the costs associated with handling the non-conformity (production stoppages, sorting costs, etc.) can also be included with the complaint as well as a processing fee of 300 €.

## 6.17 ISO 9001 § 9.1.1 – Monitoring, measurement, analysis and assessment – Additional Requirements

The performance objectives are defined in the section "Design and development".

Note: Crouzet recommends sampling of at least 30 parts. Standard NFE 60-181 should be applied (a capability study per impression can be requested if necessary).

	Provider				
	S	R	D	M	P
The Provider must:					
<ul style="list-style-type: none"> <li>6.17.1 manage and control their manufacturing processes,</li> </ul>	-	-	X	X	-
<ul style="list-style-type: none"> <li>6.17.2 ensure that the parts supplied are clean and, where applicable, meet the cleanliness standard defined in the AFCs,</li> </ul>	X	X	X	X	X*
<ul style="list-style-type: none"> <li>6.17.3 Regularly monitor the capability of their manufacturing processes about &lt;C&gt; classified characteristics. Every 12-months is considered acceptable.</li> </ul>	-	-	-	X	-

## 6.18 ISO 9001 § 9.2 – Internal audits – Additional Requirements

	Provider				
	S	R	D	M	P
6.18.1 Crouzet may require audits to be conducted at Provider manufacturing sites, including those of their Providers' Providers.					
The Provider agrees to provide access to Crouzet, its Customers and regulatory authorities, to local sites and all the records affected by orders under supervision, and to pass these requirements at all levels of the supply chain.	X	X	X	X	X

## 6.19 ISO 9001 § 10.2 – Non-conformities and corrective actions – Additional Requirements

	Provider				
	S	R	D	M	P
6.19.1 As soon as a quality problem arises, the Provider must carry out a structured analysis of the problem to be able to identify the root causes concerning the occurrence and the non-detection of the defect, and to implement the corresponding corrective actions based on anti-error devices (poka-yoke, ...).	X	X	X	X	X*
6.19.2 In the event of delivery to Crouzet of non-conforming products, analyses and corrective action plans must be communicated to Crouzet on an 8D type model or equivalent, within the following time limits: <ul style="list-style-type: none"> <li>• D0 – J0: acknowledgement of non-conformity J0</li> <li>• 3D – 48 h: Securing (3D) 48h</li> <li>• 4D &amp; 5D - 5 days ( 🚚 ) and 10 working days (others): Structured analysis (type 5M, 5P) of causes of occurrence and non-detection (4D) and definition of correctives and preventive actions (5D)</li> <li>• D6 to D8 – 1 month ( 🚚 ) and 2 months (others): Closing actions (verified efficiency, cross-functionality, capitalization, document update, etc.).</li> </ul>		X	X	X	X*
6.19.3 In the event of a deviation or non-achievement of expected performance over 3 successive months (see information in the Appendix relating to measuring performance), the Provider undertakes to develop action plans and communicate these to Crouzet. Crouzet will then input and monitor these plans in the "Quality - Improvement Plans" module in Provider Portal.	X	X	X	X	X*

## 6.20 Requirements relating to materials

### 6.20.1 « Reach » regulation

European Regulation "Reach" EC-1907/2006 dated on 12/18th/2006 on the registration, evaluation, authorization and restrictions of chemicals came into effect since 06/1st/2007.

	Provider				
	S	R	D	M	P
6.20.1.1 In accordance with Article 33, paragraph 1 of the REACH regulation, the Provider must inform Crouzet of any product supplied that includes a substance on the REACH candidate list containing more than 0.1% by weight in relation to the total weight of the component containing the substance.	X	X	X	X	-
6.20.1.2 REACH regulations are amended every 6 months on average. The Provider must keep abreast of any updates to the regulations.	X	X	X	X	-
6.20.1.3 If a substance is banned, the Provider must inform Crouzet of all actions taken to find a suitable replacement and the effective changeover date.  If necessary, Crouzet will conduct validation tests.	X	X	X	X	-
6.20.1.4 For any re-supplies, the Provider must forward the REACH declaration to Crouzet stating the absence of substances from the most up-to-date candidate list.	X	X	X	X	-

### 6.20.2 « RoHS » Directive

Crouzet requires conformity with the RoHS directive 2015/863/UE for any part not intended for the aerospace, nuclear and automotive industries.

	Provider				
	S	R	D	M	P
6.20.2.1 For any re-supplies, the Provider must expect exemptions to be lifted.	-	X	X	X	-
6.20.2.2 The Provider must supply parts containing less than 0.1% lead and less than 0.01% cadmium and forward an RoHS <a href="#">2015/863/UE</a> declaration to Crouzet for the re-supply.	X	X	X	X	-

### 6.20.3 Other prohibited substances

	Provider				
	S	R	D	M	P
<p>6.20.3.1 For reasons of operational incompatibility with certain Crouzet products or their potential toxicity to the personnel, the Provider must guarantee the absence of traces of the following substances on the surface of the parts/components supplied:</p> <ul style="list-style-type: none"> <li>• Silicon volatile</li> <li>• Red phosphorus</li> <li>• CMR (Carcinogens, Mutagens and Reprotoxics)</li> <li>• Chlorine and chlorine-containing compounds</li> </ul> <p>which may originate from:</p> <ul style="list-style-type: none"> <li>• The material itself</li> <li>• The production process (lubricant, mould release agent, etc...)</li> </ul>	X	X	X	X	-

### 6.20.4 Conflict minerals

Section 1502 of the Dodd-Frank "Conflict Minerals" law was adopted in the USA in 2010. The term "conflict minerals" relates to minerals mined in conditions of armed conflict and human rights abuses such as in the Democratic Republic of Congo and adjoining countries. The minerals concerned are gold, tin, tantalum and tungsten.

In line with its corporate social responsibility policy, Crouzet is committed to ensuring its supply chain is managed responsibly and requires its Providers to ensure that minerals are sourced from mines where human rights are respected.

	Provider				
	S	R	D	M	P
6.20.4.1 At Crouzet's request, the Provider must undertake to complete the most up-to-date version of the CMRT (Conflict Minerals Reporting Template) and declare the source of all minerals used.	X	X	X	X	-

## 7- APPENDIX – STATEMENTS / CERTIFICATES OF CONFORMITY

The documents described here are generally required by AFC.  
It is advisable to use the NF L 00-015 model as a guide.

## 8- APPENDIX – DECLARATION OF CONFORMITY RoHS & REACH (example for Providers)

See support integrated in the F.105G45 AFC.

## 9- INFORMATIVE APPENDIX – PROVIDER PERFORMANCE MEASUREMENT

The technical and service performances of the Provider will be evaluated with the following indicators:

- ESSR External Provider Service Rate,
- ENCR External Non-Conformity Rate (% quality claims / received orders),
- DPMe Defective Parts per Million (ppm equivalent, taking account of defects: at incoming goods inspection (DPM1), during production (DPM2) or at end customer (DPM3) – only if the unit is a part)

Note: In the event of an identification issue on the package, it is the packaging unit that is taken into account in the DPMe calculation, rather than the number of parts.

Each Provider can access in the Provider Portal (PP) the results of its ENCR and DPMe performance measurement.

Action handling time is tracked and assessable via the PP.

## 10- ***ANNEXE - Responsible Purchasing Charter***

Available on [www.crouzet.com](http://www.crouzet.com)

## 11- PROVIDER APPROVAL

By completing the PCA.029 compliance matrix (F.029G03) the Provider agrees:

-To respect the requirements identified as compliant.

-To explain why he identifies non-compliant item and to put the action plans to become compliant.

Without returning the compliance matrix to PCA.029 within two months of release, PCA.029 will apply without restriction upon acceptance of a Crouzet purchase order.